

Pharmacy Name: Address: City/State/Zip: Phone: Fax: Email:

Immune Deficiency Immunoglobulin Therapy						
To From			Number of Pages including Cover			
Intake Phone		Phone		Fax		
Patient Name		DOB		Date		
Allergies		Height		Weight		
Rx: Intravenous Route IVIG grams daily for day(s) OR IVIG grams/kilogram daily given over non-consecutive day(s) Repeat course every week(s) for a total of course(s) Dose will be rounded to nearest vial size.						
Rx: Subcutaneous Route						
IG grams each month given as doses OR IG grams times per month. Administer SCIG using						
sites at a time. Repeatweek(s). Ok to round dose to nearest vial size. Refill x lyr.						
Diagnosis	ICD-10	Diagnosis			ICD-10	
Common Variable Immunodeficiency with Predominant Immunoregulatory T-Cell Disorders	Selective deficiency of Immunoglobulin M [IgM]			D80.4		
Wiskott-Aldrich Syndrome	D82.0	Selective deficiency of Immunoglobulin G [IgG] Subclasses				D80.3
Combined Immunodeficiency, Unspecified	D81.9	Hereditary Hy	pogammaglobuli	nemia		D80.0
Severe Combined Immunodeficiency [SCID] with Low T- and B- Cell Numbers				sed IgM D80.5		D80.5
Severe combined Immunodeficiency [SCID]with Low or Normal B-Cell Numbers D81.2		Other Common Variable Immunodeficiencies			D83.8	
Selective deficiency of Immunoglobulin A IgA] D80.2		Common Variable Immunodeficiency, Unspecified			D83.9	
Other:						
IV Access Device Peripheral Central Hydration: Infuse 500 mL of NS. Start at 100ml/hr 30 minutes before the IVIG starts; then run concurrently with IVIG infusion.						
Medi-Cal ID#	If applicable, flush intravenous access device per Home Care Services protocol:					
Per Home Care Services recommendation:	Access	Access NS Heparin 10			2 u/ml	
-ACETAMINOPHEN 650 MG (325mg X 2) orally		Access		1 - 3 ml		
PRE-IVIG	Peripheral	1 - 3 mL b	L before/after use after las			
-DIPHENHYDRAMINE 25 MG orally PRE-IVIG None	Midline, Central (Non-Port)		3 - 5 mL before/after use 3 - 5 m ICC 5 - 10 ml after blood draw after last			
Other premed orders: Other premed orders:		Implanted Po		oefore/after use after blood draw	5 ml after last NS	
Other premed orders:	Groshong PICC, M		oefore/after use after blood draw			
Epi-Pen 0.3mg 2-Pak Auto-Injector If needed, a Basic Metabolic Panel (Chem 7) to be drawn prior to first dose. If necessary Patient may have first dose administered in the home by a skilled nurse, unless						
instructed otherwise. Pharmacy to provide all equipment and medical supplies necessary to administer therapy as appropriate. Prescriber Signature: Date						
Print Prescriber Name		NPI#				
Please fax the following information:						
Immunoglobulin order – include dose, route of administration, frequency, duration, and any pre-medications OR use prescription order section above						
Patient demographics – include insurance information. We will obtain authorization unless the insurance dictates otherwise						
H & P OR progress note(s) describing diagnosis and clinical status						
Labs - BUN/Creatinine (preferred within last 90 days), Immunoglobulin Panel						
I authorize Vital Care Infusion Services LLC and its representatives to initiate any insurance prior authorization process that is required for this prescription and for any future refills of the same prescription for the patient listed above which I order. I understand that I can revoke this designation at any time by providing written notice to Vital Care. Physician Signature: Date:						

PRESCRIBER MUST MANUALLY SIGN - STAMP SIGNATURE, SIGNATURE BY OTHER PERSONNEL AND COMPUTER-GENERATED SIGNATURES WILL NOT BE ACCEPTED

The attached document(s) contain confidential information which may be considered to be Protected Health Information and therefore required to be maintained as private and secure under HIPAA. The documents may also contain information which is otherwise considered to be privileged under state and federal laws. This communication is for the intended recipient only. If you are not the intended recipient, or a person responsible for delivering this communication to the intended recipient, you are prohibited from viewing, copying and/or distributing the information contained herein. Unlawful disclosure of the information attached may subject you to monetary penalties and sanctions. If you have received this communication in error, you should notify the sender immediately and thereafter permanently destroy all copies of this document in its entirety.

This form is not considered an order or prescription for medical services and/or supplies unless and until it is formally authorized by a healthcare provider in compliance with applicable laws and regulations.